

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1: Canceled.

Claim 2 (Currently Amended): The insect control member as in claim 33~~4~~, wherein the prescribed criterion is a ratio between the thickness and the flexural modulus.

Claim 3 (Currently Amended): The insect control member as in claim 33~~1~~, wherein the prescribed criterion is a range of ratios between the thickness and the flexural modulus.

Claim 4 (original): The insect control member as in claim 3, wherein the substrate is polyethylene and the thickness is at least about 0.5 mils.

Claim 5 (Currently Amended): The insect control member as in claim 334, wherein a material for the substrate is selected from the group of: polyethylene, polypropylene, polyester, polycarbonate, polyvinyl chloride, and polystyrene.

Claim 6 (original): The insect control member as in claim 5, wherein a range of thicknesses that satisfy the prescribed criterion are defined by the material selected for the substrate.

{W:\03031\000J066000\00284944.DOC 100 100 100 100 100 100 100 100 100 100}

Appl. No.: 09/924,007  
Amdt. Dated October 22, 2004  
Reply to Office Action of October 8, 2004

Claim 7 (Currently Amended): The insect control member as in claim 331, wherein the substrate is a predetermined polymer and wherein the predetermined polymer has a range of thicknesses that satisfy the prescribed criterion.

Claim 8 (original): The insect control member as in claim 7, wherein the polymer is an unfilled homopolymer.

**Claim 9: Canceled.**

Claim 10 (Currently Amended): The insect control member as in claim 339, wherein the substrate further includes a generally central folding axis, the substrate being foldable about the central folding axis to a stowed position wherein a first half of the front surface folds upon a second half of the front surface, and being unfoldable to a usable position wherein first and second halves of the front surface are exposed.

Claim 11 (original): The insect control member as in claim 10, further comprising a sealing material located within the sealing zone, the sealing material being adapted to selectively seal and protect the insect-interactive material when the substrate is in the stowed position.

{W:\03031\000J066000\00284944.DOC 10000000000000000000}

Appl. No.: 09/924,007  
Amdt. Dated October 22, 2004  
Reply to Office Action of October 8, 2004

Claim 12 (Currently Amended): The insect control member as in claim 33+, wherein the insect-interactive material is sticky and adapted to adhere a contacting insect to the substrate.

Claim 13 (Currently Amended): The insect control member as in claim 33+, wherein the insect-interactive material comprises an oil-based composition that is adapted to adhere to a contacting insect and be carried off by the insect for reaction with the insect at a remote location.


Claim 14 (Currently Amended): The insect control member as in claim 33+, wherein the insect-interactive material comprises mineral oil.

Claims 15-16: Canceled.

Claim 17 (Currently Amended): The insect control member as in claim 32+, wherein the range of material thicknesses is bounded at the upper end to 10 mil.

Claims 18-21: Canceled.

Claim 22 (Currently Amended): The insect control member as in claim 33+, wherein the prescribed frequency is in a range of from about 150 cps to about 350 cps.

{W:\03031\000J066000\00284944.DOC 

Appl. No.: 09/924,007

Amdt. Dated October 22, 2004

Reply to Office Action of October 8, 2004

Claim 23 (Currently Amended): The insect control member as in claim 33+, wherein the prescribed frequency is in a range of 150 cps to 250 cps together with one or more frequencies in a range of 300 cps to 500 cps.


Claim 24 (previously presented): The insect control member as in claim 23, wherein the prescribed frequency includes a primary peak in the 150 cps to 250 cps range and a secondary peak in the 300 cps to 500 cps range.

Claim 25 (Currently Amended): The insect control member as in claim 33+, wherein the prescribed frequency is in a range of 160 cps to 180 cps.

Claim 26 (Currently Amended): The insect control member as in claim 33+, wherein the prescribed frequency includes a range of frequencies including one or more frequencies indicative of a damaged heartbeat.

Claim 27 (previously presented): The insect control member as in claim 26, wherein the range associated with the damaged heartbeat is in the range of from 60 cps to 100 cps.

Claim 28 (previously presented): The insect control member as in claim 26, wherein the range associated with the damaged heartbeat is from 100 cps to 250 cps.

{W:\03031\000J066000\00284944.DOC }

Appl. No.: 09/924,007  
Amdt. Dated October 22, 2004  
Reply to Office Action of October 8, 2004

Claim 29 (previously presented): The insect control member as in claim 26, wherein the range associated with the damaged heartbeat is more than 300 cps.

Claim 30 (Currently Amended): The insect control member as in claim 33~~4~~, wherein the prescribed frequency is in a range of from 50 cps to 120 cps

Claim 31 (Currently Amended): The insect control member as in claim 33~~4~~, wherein the prescribed frequency is in a range of 20 to 500 cps.

Claim 32 (Currently Amended): In combination, a vibration generator and a A disposable insect control member, comprising:

a vibration generator having a source of vibration and an output surface radiating sound waves from the source of vibration;

a plastic substrate including a front surface which defines a central insect-interactive zone and a peripheral sealing zone that surrounds the insect-interactive zone, the substrate having a thickness and a flexural modulus, one of the thickness and the flexural modulus being defined by the other so as to satisfy a prescribed criterion and to radiate sound waves at a prescribed frequency that mimics the heartbeat of an animal to thereby lure insects into proximity with the substrate;

{W:\03031\000J066000\00284944.DOC \#####}

Appl. No.: 09/924,007  
Amdt. Dated October 22, 2004  
Reply to Office Action of October 8, 2004

wherein the substrate is foldable about a generally central folding axis to a stowed position wherein a first half of the front surface folds upon a second half of the front surface, and is unfoldable to a usable position wherein first and second halves of the front surface are exposed;

an insect-interactive material supported on the substrate within the insect-interactive zone;  
and

a first fastener on one side of the folding axis adapted to engage with a second fastener on another side of the folding axis so that connection of the first and second fasteners maintains the disposable insect control member in the usable position and in an assembled configuration for seating snuggly about at least a portion of the output surface of the ~~on~~ a vibration generator.

Claim 33 (previously presented): In combination, a vibration generator and a A disposable insect control member, comprising:

a vibration generator having a source of vibration and an output surface radiating sound waves from the source of vibration;

a plastic substrate having a thickness and a flexural modulus, the thickness being within a range of thicknesses bounded at the upper end to 10 mil, the substrate including a front surface which defines a central insect-interactive zone, one of the thickness and the flexural modulus being defined by the other so as to satisfy a prescribed criterion and to radiate sound waves at a prescribed

{W:\03031\000J066000\00284944.DOC 00000000000000000000}

Appl. No.: 09/924,007

Amdt. Dated October 22, 2004

Reply to Office Action of October 8, 2004

frequency that mimics the heartbeat of an animal to thereby lure insects into proximity with the substrate;

wherein the substrate is foldable between a stowed position and a usable position;

an insect-interactive material supported within the insect-interactive zone; and

fastening means for maintaining the disposable insect control member in the usable position suitable for seating snuggly about at least a portion of the output surface of the ~~on~~-a vibration generator.

{W:\03031\000J066000\00284944.DOC \00000000000000000000000000000000}

Appl. No.: 09/924,007

Amdt. Dated October 22, 2004

Reply to Office Action of October 8, 2004